SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear	
Price Level				
PRL-08M	M2 PRL-08M (EFF:01/28/2014)			
Data Version				
DRL-013	SPECPRO21 DATA RELEASE VER 013			
Vehicle Configura	tion			
001-172	M2 106 CONVENTIONAL CHASSIS	5,775	3,535	
004-215	2015 MODEL YEAR SPECIFIED			
002-004	SET BACK AXLE - TRUCK			
019-002	STRAIGHT TRUCK PROVISION			
003-001	LH PRIMARY STEERING LOCATION			
General Service				
AA1-002	TRUCK CONFIGURATION			
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
A85-002	PICKUP AND DELIVERY/SHORT HAUL SERVICE			
A84-1GF	GENERAL FREIGHT BUSINESS SEGMENT			
AA4-001	GENERAL FREIGHT COMMODITY			
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
AB1-008	MAXIMUM 8% EXPECTED GRADE			
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
995-091	MEDIUM TRUCK WARRANTY			
A66-99D	EXPECTED FRONT AXLE(S) LOAD: 8000.0 lbs			
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD: 18000.0 lbs			
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 26000.0 lbs			

	Data Code	Description	Weight Front	Weight Rear
Truck	Service			
	AA3-001	DRY VAN BODY		
	AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES: 32.0 in		
Engine	•			
	101-2GD	CUM ISB 6.7-240 240 HP @ 2300 RPM, 2600 GOV, 560 LB/FT @ 1600 RPM		
Electro	onic Paramete	ers		
	79A-075	75 MPH ROAD SPEED LIMIT		
	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT		
	79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM		
	79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED		
	79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM		
	79Q-003	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM		
	79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH		
	79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND		
	80G-002	PTO MINIMUM RPM - 700		
	80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH		
Engine	Equipment			
	99C-013	2013 ONBOARD DIAGNOSTICS/2010 EPA/CARB/GHG14		
	99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)		
	13E-001	STANDARD OIL PAN		
	105-001	ENGINE MOUNTED OIL CHECK AND FILL		
	133-004	ONE PIECE VALVE COVER		
	014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER		
	124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE		
	292-1D8	(2) ALLIANCE MODEL 1131, GROUP 31, 12 VOLT MAINTENANCE FREE 1900 CCA THREADED STUD BATTERIES, NON FCCC ONLY		
	290-017	BATTERY BOX FRAME MOUNTED		
	281-001	STANDARD BATTERY JUMPERS		
	282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB		

Data C	ode Des	cription	Weight Front	Weight Rear	
291-01		E GROUND RETURN FOR BATTERY CABLES H ADDITIONAL FRAME GROUND RETURN	3		
289-00	1 NON	I-POLISHED BATTERY BOX COVER			
107-03		MMINS TURBOCHARGED 18.7 CFM AIR MPRESSOR WITH INTERNAL SAFETY VALVE			
108-00		NDARD MECHANICAL AIR COMPRESSOR /ERNOR			
131-01	3 AIR	COMPRESSOR DISCHARGE LINE			
152-04		CTRONIC ENGINE INTEGRAL SHUTDOWN OTECTION SYSTEM			
128-07	VAF	MMINS EXHAUST BRAKE INTEGRAL WITH HABLE GEOMETRY TURBO WITH ON/OFF SH SWITCH	20		
016-1C	HOF	OUTBOARD UNDER STEP MOUNTED RIZONTAL AFTERTREATMENT SYSTEM EMBLY WITH RH HORIZONTAL TAILPIPE			
28F-00	AUT ANE	BINE AFTERTREATMENT DEVICE, OMATIC OVER THE ROAD REGENERATION DASH MOUNTED REGENERATION DUEST SWITCH			
239-00	1 STA	NDARD EXHAUST SYSTEM LENGTH			
237-05	2 RH	STANDARD HORIZONTAL TAILPIPE			
23U-00	01 6 G	ALLON DIESEL EXHAUST FLUID TANK			
30N-00	100	PERCENT DIESEL EXHAUST FLUID FILL			
43X-00		MEDIUM DUTY STANDARD DIESEL EXHAUST ID TANK LOCATION	Γ		
23Y-00		NDARD DIESEL EXHAUST FLUID PUMP JNTING			
43Y-00	1 STA	NDARD DIESEL EXHAUST FLUID TANK CAP			
273-03		RTON HT650 FRONTAL AIR ON/OFF ENGINE CLUTCH			
276-00	_	OMATIC FAN CONTROL WITHOUT DASH TCH, NON ENGINE MOUNTED			
110-00	3 CUN	MMINS SPIN ON FUEL FILTER			
118-00	1 FUL	L FLOW OIL FILTER			
266-07	8 950	SQUARE INCH ALUMINUM RADIATOR			
103-00		IFREEZE TO -34F, NOAT EXTENDED LIFE DLANT			
171-00		ES BLUE STRIPE COOLANT HOSES OR JIVALENT			
172-00		ISTANT TENSION HOSE CLAMPS FOR DLANT HOSES			
270-01	6 RAD	DIATOR DRAIN VALVE			
168-00	2 LOV	VER RADIATOR GUARD			
134-00	1 ALU	MINUM FLYWHEEL HOUSING			

Prepared for: Jim O Brien Cherokee Truck Equipment

Cherokee Truck Equipmen
3510 Cummings Rd
Chattanooga, TN 37419
Phone: 423-265-7189

	Data Code	Description	Weight Front	Weight Rear
	132-004	ELECTRIC GRID AIR INTAKE WARMER		
	155-057	DELCO 12V 29MT STARTER WITH INTEGRATED MAGNETIC SWITCH		
Transı	mission			
	342-1MN	ALLISON 2500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION		
Transı	mission Equi	pment		
	343-301	ALLISON VOCATIONAL PACKAGE 354 - AVAILABLE ON 1000/2000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, EVS, HS, MH, PTS AND SPS		
	84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES		
	84C-003	PRIMARY MODE GEARS, 5 FORWARD GEARS WITH MANUAL SELECTION FOR 3, 2 AND 1, AVAILABLE FOR 1000/2000 PRODUCT FAMILIES ONLY		
	353-022	VEHICLE INTERFACE WIRING WITH BODY BUILDER CONNECTOR MOUNTED BACK OF CAB, NO BLUNT CUTS		
	34C-001	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED		
	362-1BV	CUSTOMER INSTALLED CHELSEA 270 SERIES PTO		
	363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION		
	341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
	345-072	DASH MOUNTED T-HANDLE CABLE SHIFT CONTROL WITHOUT PARK BRAKE POSITION		
	97G-006	TRANSMISSION PROGNOSTICS - DISABLED (N/A) 2013, FOR USE IN 1000/2000 ONLY		
	370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK		
	346-001	TRANSMISSION OIL CHECK AND FILL		
	35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		
Front	Axle and Equ	ipment		
	400-1A5	DETROIT DA-F-10.0-3 10,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE		
	402-020	MERITOR 15X4 Q+ CAM FRONT BRAKES		
	403-002	NON-ASBESTOS FRONT BRAKE LINING		

Data Code	Description	Weight Front	Weight Rear	
419-023	CONMET CAST IRON FRONT BRAKE DRUMS			
409-021	SKF SCOTSEAL PLUS XL FRONT OIL SEALS			
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS			
536-050	TRW THP-60 POWER STEERING			
539-003	POWER STEERING PUMP			
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			
40T-001	ORGANIC SAE 80/90 FRONT AXLE LUBE			
Front Suspension				
620-062	10,000# TAPERLEAF FRONT SUSPENSION			
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			
410-001	FRONT SHOCK ABSORBERS			
Rear Axle and Equip	ement			
420-1C8	DETROIT DA-RS-21.0-4 21,000# R-SERIES SINGLE REAR AXLE			
421-588	5.88 REAR AXLE RATIO			
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
386-079	MXL 16T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	-10	-10	
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			
433-002	NON-ASBESTOS REAR BRAKE LINING			
434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)			
451-023	CONMET CAST IRON REAR BRAKE DRUMS			
440-021	SKF SCOTSEAL PLUS XL REAR OIL SEALS			
426-074	HALDEX GOLDSEAL LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS			
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			
41T-002	SYNTHETIC 75W-90 REAR AXLE LUBE			
Rear Suspension				
622-1MV	23,000# 52 INCH VARIABLE RATE MULTI-LEAF SPRING REAR SUSPENSION WITH RUBBER HELPER		70	
621-001	SPRING SUSPENSION - NO AXLE SPACERS			

Data Code	Description	Weight Front	Weight Rear	
431-001	STANDARD U-BOLT PAD			
Brake System				
018-002	AIR BRAKE PACKAGE			
490-100	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL			
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			
904-001	FIBER BRAID PARKING BRAKE HOSE			
412-001	STANDARD BRAKE SYSTEM VALVES			
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			
413-002	STD U.S. FRONT BRAKE VALVE			
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			
480-083	WABCO SS-1200 PLUS AIR DRYER WITH INTEGRAL AIR GOVERNOR AND HEATER			
479-015	AIR DRYER FRAME MOUNTED			
460-001	STEEL AIR BRAKE RESERVOIRS			
477-004	PULL CABLES ON ALL AIR RESERVOIR(S)			
Trailer Connection	ons			
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT			
32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT			
Wheelbase & Fra	me			
545-385	3850MM (152 INCH) WHEELBASE			
546-093	11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8/0.344X10.19 INCH) 80KSI	-120	130	
552-073	2850MM (112 INCH) REAR FRAME OVERHANG			
55W-011	FRAME OVERHANG RANGE: 111 INCH TO 120 INCH	-70	300	
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 86.45 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 83.45 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 293.39			
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 86.45 in			
FSS-0LH	CALCULATED FRAME SPACE LH SIDE: 89.06 in			
FSS-0RH	CALCULATED FRAME SPACE RH SIDE: 95.41 in			
553-001	SQUARE END OF FRAME			
550-001	FRONT CLOSING CROSSMEMBER			
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			

Data Code	Description	Weight Front	Weight Rear	
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			
572-001	STANDARD REARMOST CROSSMEMBER			
565-001	STANDARD SUSPENSION CROSSMEMBER			
Chassis Equipme	nt			
556-1AN	THREE-PIECE 14 INCH STEEL CENTER BUMPER WITH FLEXIBLE PLASTIC ENDS			
558-001	FRONT TOW HOOKS - FRAME MOUNTED	15		
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS			
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			
Fuel Tanks				
204-215	50 GALLON/189 LITER SHORT RECTANGULAR ALUMINUM FUEL TANK - LH	20		
218-005	RECTANGULAR FUEL TANK(S)			
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			
212-007	FUEL TANK(S) FORWARD			
664-001	PLAIN STEP FINISH			
205-001	FUEL TANK CAP(S)			
122-084	ALLIANCE FUEL FILTER/WATER SEPARATOR WITH PRIMER PUMP			
216-020	EQUIFLO INBOARD FUEL SYSTEM			
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			
Tires				
093-1T8	GOODYEAR G662 RSA FUEL MAX 11R22.5 14 PLY RADIAL FRONT TIRES (MATCH MARKED)	22		
094-0JT	GOODYEAR G182 RSD 11R22.5 14 PLY RADIAL REAR TIRES		88	
Hubs				
418-056	CONMET PRESET PLUS IRON FRONT HUBS			
450-045	CONMET PRE-SET BEARING IRON REAR HUBS			
Wheels				
502-524	MAXION WHEELS 90541 22.5X8.25 10-HUB PILOT 6.20 INSET 2-HAND STEEL DISC FRONT WHEELS	6		
505-524	MAXION WHEELS 90541 22.5X8.25 10-HUB PILOT 2-HAND STEEL DISC REAR WHEELS		12	

	Oata Code	Description	Weight Front	Weight Rear	
4	96-011	FRONT WHEEL MOUNTING NUTS			
4	97-011	REAR WHEEL MOUNTING NUTS			
Cab Exte	rior				
8	29-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			
6	50-009	RUBBER CAB MOUNTS			
6	46-023	HOOD MOUNTED CHROMED PLASTIC GRILLE			
6	5X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE			
6	44-004	FIBERGLASS HOOD			
7	27-1AF	SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK	4		
7	26-002	DUAL ELECTRIC HORNS			
7	28-001	SINGLE HORN SHIELD			
6	57-1CV	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME WITH (4) KEYS			
5	75-001	REAR LICENSE PLATE MOUNT END OF FRAME			
3	12-038	INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH CHROME BEZEL			
3	02-047	LED AERODYNAMIC MARKER LIGHTS			
2	94-042	FREIGHTLINER LED FLANGE MOUNTED STOP/TAIL/TURN LIGHTS WITH SEPARATE INCANDESCENT BACKUP LIGHTS		5	
3	00-015	STANDARD FRONT TURN SIGNAL LAMPS			
7	44-1BN	DUAL WEST COAST BRIGHT FINISH MIRRORS			
7	97-001	DOOR MOUNTED MIRRORS			
7	96-001	102 INCH EQUIPMENT WIDTH			
7	43-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			
7	29-001	STANDARD SIDE/REAR REFLECTORS			
7	68-043	63X14 INCH TINTED REAR WINDOW			
6	61-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS			
6	54-003	MANUAL DOOR WINDOW REGULATORS			
6	63-013	TINTED WINDSHIELD			
6	59-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED			
Cab Inter	ior				
7	07-1AK	OPAL GRAY VINYL INTERIOR			
7	06-013	MOLDED PLASTIC DOOR PANEL			
7	08-013	MOLDED PLASTIC DOOR PANEL			

Data Code	Description	Weight Front	Weight Rear
772-006	BLACK MATS WITH SINGLE INSULATION		
785-001	DASH MOUNTED ASH TRAYS AND LIGHTER		
691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING		
694-010	IN DASH STORAGE BIN		
742-007	(2) CUP HOLDERS LH AND RH DASH		
680-006	GRAY/CHARCOAL FLAT DASH		
720-002	2-1/2 LB. FIRE EXTINGUISHER	5	
700-002	HEATER, DEFROSTER AND AIR CONDITIONER		
701-001	STANDARD HVAC DUCTING		
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
170-015	STANDARD HEATER PLUMBING		
130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR		
702-002	BINARY CONTROL, R-134A		
739-034	PREMIUM INSULATION		
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES		
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM		
324-011	DOME DOOR ACTIVATED LH AND RH, DUAL READING LIGHTS, FORWARD CAB ROOF		
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS		
284-023	(1) 12 VOLT POWER SUPPLY IN DASH		
722-002	TRIANGULAR REFLECTORS WITHOUT FLARES	10	
756-1J3	BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	30	
760-235	2 MAN TOOL BOX MID BACK NON SUSPENSION PASSENGER SEAT	20	
759-009	INBOARD DRIVER SEAT ARMREST, NO PASSENGER SEAT ARMREST	2	
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS		
758-025	GRAY MORDURA CLOTH DRIVER SEAT COVER		
761-025	GRAY MORDURA CLOTH PASSENGER SEAT COVER		
763-006	3 POINT DRIVER AND PASSENGER AND 2 POINT CENTER FRONT SEAT BELT RETRACTORS		
532-001	FIXED STEERING COLUMN		
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL		

Prepared for:

Jim O Brien Cherokee Truck Equipment 3510 Cummings Rd Chattanooga, TN 37419 Phone: 423-265-7189

817-001

Weight Weight **Data Code** Rear Description Front 765-002 DRIVER AND PASSENGER INTERIOR SUN **VISORS Instruments & Controls** 732-004 **GRAY DRIVER INSTRUMENT PANEL** 734-004 GRAY CENTER INSTRUMENT PANEL 870-001 **BLACK GAUGE BEZELS** 486-001 LOW AIR PRESSURE LIGHT AND BUZZER 2 INCH PRIMARY AND SECONDARY AIR 840-002 PRESSURE GAUGES 198-025 INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS 149-013 ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL KEY OPERATED IGNITION SWITCH AND 156-007 INTEGRAL START POSITION: 4 POSITION OFF/RUN/START/ACCESSORY 811-011 ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA LINKED, ICU3 DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, 160-025 SAE J1939, LOCATED BELOW DASH 844-001 2 INCH ELECTRIC FUEL GAUGE 148-003 PROGRAMMABLE RPM CONTROL -**ELECTRONIC ENGINE** ELECTRICAL ENGINE COOLANT TEMPERATURE 856-001 864-001 2 INCH TRANSMISSION OIL TEMPERATURE **GAUGE** ENGINE AND TRIP HOUR METERS INTEGRAL 830-017 WITHIN DRIVER DISPLAY 372-051 CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS ELECTRIC ENGINE OIL PRESSURE GAUGE 852-002 **OVERHEAD INSTRUMENT PANEL** 679-001 AM/FM/WB RADIO WITH CD PLAYER, 746-1B0 10 BLUETOOTH AND MICROPHONE, USB, FRONT AND REAR AUXILIARY INPUTS AND J1939 747-001 DASH MOUNTED RADIO (2) RADIO SPEAKERS IN CAB 750-002 753-001 AM/FM ANTENNA MOUNTED ON FORWARD LH 2 **ROOF** 810-027 ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT **ODOMETER**

STANDARD VEHICLE SPEED SENSOR

	Data Code	Description	Weight Front	Weight Rear	
	812-001	ELECTRONIC 3000 RPM TACHOMETER			
	162-011	IDLE LIMITER, ELECTRONIC ENGINE			
	81Y-001	PRE-TRIP LAMP INSPECTION, ALL OUTPUTS FLASH, WITH SMART SWITCH			
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			
	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			
	304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH			
	882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			
	299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE			
	298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS			
Design					
	065-000	PAINT: ONE SOLID COLOR			
Color					
	980-5F6	CAB COLOR A: L0006EB WHITE ELITE BC			
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			
	962-962	MAXION WHEELS W POWDER WHITE (N0006EA) FRONT WHEELS/RIMS			
	966-962	MAXION WHEELS W POWDER WHITE (N0006EA) REAR WHEELS/RIMS			
	964-6Z7	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX			
Certific	ation / Comp	liance			
	996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			

Weight Summary			
	Weight	Weight	Total
	Front	Rear	Weight

TOTAL VEHICLE SUMMARY



Factory Weight ⁺	5741 lbs	4130 lbs	9871 lbs
Total Weight [†]	5741 lbs	4130 lbs	9871 lbs

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.