

PO Box 23546 (37422)
3510 Cummings Road
Chattanooga, TN 37419



550 Discovery Place
Mableton, GA 30126

Phone: 423-265-7189
800-365-7189
Fax: 423-267-7200

www.cherokeetruck.com

Phone: 770-819-9146
888-819-9146
Fax: 770-819-9184



Attn:

We are pleased to offer a quote on the following:

Auto Crane Body

- Titan 60 / 88CA 58" Tall Right Side Crane 11' Body Length
- One piece 10 gauge A40 galvalume side-pack design
- 12 gauge A40 galvalume tread plate on tops and cargo area
- Adjustable shelving package (250lb capacity)
- Three angled oval lights on the rear of the body
- Integral crane reinforcement up to 60,000 ft. lbs.
- Large grab handles
- Wheel Housing Fenderette
- Flush door panels with bulb seal gasket
- Three point latching system
- Rugged durable interlocking channel frame
- Rounded door corners
- Backup alarm
- ICC Kit, and Fire Extinguisher in chassis cab
- Primed inside and outside with universal weathering polyurethane primer
- Full undercoating
- 10 Year Structural Warranty

Compartment Equipment & Accessories

- Oxy / Act - 58" Tall divided compartment w/torch bottle tie down
2" drop well to accommodate tall torch bottles
3 adjustable shelves
1 large metal vent, and smaller rubber vent
- Master Lock for Compartments

Hydraulic Power Package

- PTO, pump, hydraulic oil, reservoir tank with in-tank filter, vent fill cap, sight gauge

Page Two

Crane Equipment & Accessories

- Auto Crane Model HC-10 FM NexStar III 10,000 lb. capacity, 60,000 ft. lb
- With our Titan and Service Crane package, you get the capability to lift 100% of the crane's load capacity, in the full range of the permitted lifting radius. (Work not permitted over the CAB)
- Power boom elevation, power hoist, power rotation and power extension to 24 ft 11 in.
- Full proportional FM remote, filter sensor, and overload safety light
- Rotation Speed Control (RSC)
- 60 ft/min. single line speed planetary winch
- 15 GPM @ 3,000 PSI hydraulic requirement
- 120 ft. of 7/16" aircraft quality cable
- 370 degree rotation
- Automatic overload protection for hoist up, boom extend and boom down functions
- Heavy duty swivel block with latch
- -12 to 75 degree boom elevation
- Meets OSHA 1910.180 requirements and ANSI B30.5 safety standards
- Includes boom support
- Two year factory warranty

Outriggers & Accessories

- Full hydraulic outrigger assemble for curb side crane. For use with cranes up to 60,000 ft. lb. capacity

Chassis Equipment & Accessories

- Spring support for crane side of body
- PTO for Allison automatic transmission in lieu of standard manual transmission
- Electronic engine speed control-computer set-electronic engine

Air Compressor Equipment & Accessories

- AC RS60AC
- Mounting angles for Air Compressor
- Welder Mounts Included
- Hose reel access out rear compartment

- Air tank 30G underdeck mounted. Includes air drain hose routed to outside of body, ball valve tank drain
- Air accessory package – ½" x 50' air hose and spring rewind reel, ball stop, FLR (filter, lubricator, regulator)

Lighting Electrical Equipment & Accessories

- 6 exterior LED 12V flood lights (Two Boom Tip, Two on included Light Bar, and Two at rear)
- 1 exterior LED 12V flood light remote
- Interior LED 12V strip lights for compartments

Painting Equipment & Accessories

- Auto Crane White painted on exterior and Zolatone on interior

Page Three

- Auto Crane bedliner protective covering – cargo floor, compartment tops, sides, front bulkhead, tailgate and extension, bumper/workbench area

Center Deck Equipment

- 6 flush mount "D" ring tie-downs in bed floor

Rear Bumper & Accessories

- 30" heavy duty bumper with storage compartment and vise plate
- Class V 2" receiver hitch
- 7-way flat blade trailer plug

Price FOB: Austell, GA Not Including any Applicable Taxes

\$ 140,235.00

Thank you for this opportunity to quote on your equipment needs.
Sincerely,

Outside Sales



www.cherokeetruck.com

550 Discovery Place
Mableton, GA 30126
(P)770-819-9146
(F) 770-819-9184